

The latex-lab-mathpkg code*

L^AT_EX Project

November 4, 2025

Abstract

Contents

1	Introduction	1
2	The Implementation	1
2.1	File declaration	1
2.2	breqn	1
2.3	cases	2
2.4	bm	2
2.5	amsmath timing	2
2.6	Wrapper files for testphase key	2
	Index	3

1 Introduction

This file implements adaption to various math packages needed for the tagging project.

2 The Implementation

1 `<@@=math>`

2 `<*kernel>`

2.1 File declaration

3 `\ProvidesFile{latex-lab-mathpkg.ltx}`

4 `[2025-06-20 v0.1c mathpkg adaption]`

2.2 breqn

5 `\AddToHook{package/breqn/after}{`

6 `\RegisterMathEnvironment{dmath}`

7 `\RegisterMathEnvironment{dgroup*}`

*

```

8   \AddToHook{env/dmath/begin}{\tagpdfparaOff}
9   \AddToHook{env/dgroup*/begin}{\tagpdfparaOff}
10  }

```

2.3 cases

Force loading of amsmath before cases.

```

11 \AddToHook{package/cases/before}{\RequirePackage{amsmath}}
12 \AddToHook{package/cases/after}{
13   \RegisterMathEnvironment{subnumcases}
14 }

```

2.4 bm

Similar to the amsbsy code in latex-lab-amsmath for `\pmb` we need to mark up copies as artifact:

```

15 \ExplSyntaxOn
16 \AddToHook{package/bm/after}
17 {
18   \def\bm@pmb@#1#2#3{#{%
19     \hbox_set:Nn\l__math_tmpa_box{${m@th#1#3$}%
20     \dimen@#2\wd\tw@
21     \rlap{\box_use:N\l__math_tmpa_box}%
22     \tag_mc_end:\tag_mc_begin:n{artifact}
23     \tag_mc_reset_box:N\l__math_tmpa_box
24     \kern\dimen@
25     \raise1.5\dimen@\rlap{\box_use:N\l__math_tmpa_box}%
26     \kern\dimen@
27     \box_use_drop:N\l__math_tmpa_box
28     \tag_mc_end:\tag_mc_begin:n{}}%
29   }}
30 }
31 \ExplSyntaxOff

```

2.5 amsmath timing

These packages error or lose their function if loaded before amsmath.

```

32 \AddToHook{package/accents/before}{\RequirePackage{amsmath}}
33 \AddToHook{package/cleveref/before}{\RequirePackage{amsmath}}
34 \AddToHook{package/esint/before}{\RequirePackage{amsmath}}
35 \AddToHook{package/grmath/before}{\RequirePackage{amsmath}}
36 \AddToHook{package/mathabx/before}{\RequirePackage{amsmath}}
37 \AddToHook{package/wasysym/before}{\RequirePackage{amsmath}}
38 </kernel>

```

2.6 Wrapper files for testphase key

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		P	
<code>\AddToHook</code>	5,	<code>\pmb</code>	<i>2</i>
	8, 9, 11, 12, 16, 32, 33, 34, 35, 36, 37	<code>\ProvidesFile</code>	3
B		R	
box commands:		<code>\raise</code>	25
<code>\box_use:N</code>	21, 25	<code>\RegisterMathEnvironment</code>	6, 7, 13
<code>\box_use_drop:N</code>	27	<code>\RequirePackage</code> .	11, 32, 33, 34, 35, 36, 37
box internal commands:		<code>\rlap</code>	21, 25
<code>\l_math_tmpa_box</code> ..	19, 21, 23, 25, 27		
D		T	
<code>\def</code>	18	tag commands:	
E		<code>\tag_mc_begin:n</code>	22, 28
<code>\ExplSyntaxOff</code>	31	<code>\tag_mc_end:</code>	22, 28
<code>\ExplSyntaxOn</code>	15	<code>\tag_mc_reset_box:N</code>	23
H		<code>\tagpdfparaOff</code>	8, 9
hbox commands:		TeX and L ^A T _E X 2 _ε commands:	
<code>\hbox_set:Nn</code>	19	<code>\bm@pmb@@</code>	18
K		<code>\dimen@</code>	20, 24, 25, 26
<code>\kern</code>	24, 26	<code>\m@th</code>	19
K		<code>\tw@</code>	20
K		W	
<code>\kern</code>	24, 26	<code>\wd</code>	20